



BIK-E 400

SOLAR SHELTER FOR TWO-WHEELERS

BIK-E 400 is robust and stylish, protecting vehicles from the elements and generating renewable energy. During the day, the energy produced by the 6 photovoltaic panels installed on the roof can be used to recharge the two-wheelers or consumed nearby.



Easy to install




Economic




Eco-friendly





Promote your Corporate Social Responsibility credentials




STANDARD FEATURES



Colours BIK-E 400 and feet bases

-  RAL 7016 (grey)
-  RAL 9010 (white)

 **Feet bases**
Footing section:
300 × 300 mm.

Surface (sqm)		16
Width (mm)	A	2946
Length (mm)	B	5540
Height (mm) with feet base (h: 30 mm)	C	2757
Foot height (mm)	D	2400
Photovoltaic roof height (mm)	E	327
Foot section (mm)		150×150
Weight structure of 4-posts version 2400 mm (kg)		260
Number of PV panels ⁽¹⁾		6

The installation can be done in island (4 feet), wall installation (2 feet) ; junction possibilities.

Material

Structure: Aluminium 6063 T5

Fasteners: stainless steel A2

Product verified by APAVE

Powder coated structure with:



Compatibility with framed photovoltaic modules

Length: 1690 to 1770 mm - Width: 1090 to 1160 mm - Thickness: 30 to 50 mm

MA PERGOLA SOLAIRE export@mapergolasolaire.com | www.mapergolasolaire.com

OPTIONS

- **Photovoltaic modules ⁽¹⁾**
- **Photovoltaic kit** (modules, inverters and cables): please contact us.
- **Ceiling**
White polycarbonate plate 16 mm
or Bacacier® type protective sheet (product not referenced).
- **Crossbar**

